



PRODUCT INFORMATION Ergo-I_TY_US - 16.12.2021 - www.vsameric.com

Ergo-I Height-adjustable skid table.

Frame of powder-coated steel tube with asymmetrically-positioned legs (cantilever) on steel skids with kicking protection. All steel tubes in round profile.

Table height in accordance with DIN EN 1729. Frame with continuous height adjustment with winding handle.

Frame features. Continuous height adjustment with winding handle.

Tabletop made from laminated LIGNOpal chipboard with a seamlessly cast-on safety edge made from polyurethane (PUR).



Features of top. Fixed horizontal working surface.

Accessories and options. Glides for hard and soft floors or with 2 castors and 2 glides, and briefcase (satchel) hooks. Plywood or grid bookshelf or chair suspension for all VS school chairs (PantoSwing sizes 4-7).

Important notice. The table height can vary slightly depending on the glides. PUR edges are extremely robust, but can show signs of discoloration over time.

The following material groups are available to choose from: Frame made of steel tube: M1; Top made of chipboard with PUR edge: L2.

Further products on this page: PantoMove-LuPo.

		Table heights ($\pm \frac{7}{8}$ inch) as per DIN EN 1729 ● 3 = 23 $\frac{1}{4}$ inch ● 4 = 25 $\frac{1}{4}$ inch ● 5 = 28 inch ● 6 = 30 inch ● 7 = 32 $\frac{3}{8}$ inch			
Ergo I	LIGNOpal-PUR	d = 25 $\frac{5}{8}$ inch w inch		02970 29 $\frac{1}{2}$	02971 51 $\frac{1}{4}$
		Variable height adjustment		23 $\frac{1}{4}$ - 32 $\frac{3}{8}$ inch 